

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Frank Agovino (Reg. No. 27,416) on June 3rd, 2008.

The application has been amended as follows:

Claim 14, line 1:

The device of claim 1, wherein the platen comprises a ...

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL A. NEWMAN whose telephone number is (571)270-3016. The examiner can normally be reached on Mon - Thurs from 9:30am to 6:30pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samir A. Ahmed can be reached on (571) 272-7413. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2624

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

M.A.N.

/Samir A. Ahmed/
Supervisory Patent Examiner, Art Unit 2624